

Thermo Scientific RadEye SPRDPersonal Radiation Detector

- Locate and Identify Radioactive nuclides
- Only pager sized NBR radiation detector
- Built for real-life

Definitive answers

through pin-point accuracy



Thermo Scientific RadEye SPRD

Personal Radiation Detector

When the threat is real, you need quick and accurate identification.

The Thermo Scientific™ RadEye™ SPRD Spectroscopic Personal Radiation Detector helps you locate and identify radioactive nuclides such as those employed in nuclear weapons and dirty bombs in a pager sized PRD.

SMART ALARM INTERPRETATION

- Automatically and quickly distinguish between threatening and non-threatening radioactive sources
- Provides neutron presence indication as standard with the base RadEye SPRD

BUILT FOR REAL-LIFE

- Can be worn in holster on standard service belt
- Does not interfere with sitting or squatting
- Small and lightweight
- Long battery life
- Rugged, drop resistant construction

HIGH VALUE

- Numerous accessories and add-ons such as contraband detector or rapid deployable area monitor kit
- Same rugged and proven design as full RadEye family simplifies adoption
- Leverage our high volume RadEye production and the latest cost effective technology





Easy-mode Operation

Easy mode simplifies responding with the device for infrequent users. It quickly guides you through the next steps after an alarm.

Natural Background Rejection

NBR is a technology used to eliminate fluctuating natural background levels while measuring radiation. This proprietary and patented technology is used to quickly differentiate between natural and artificial radiation by stripping away any natural background radiation that is registering, delivering you a more accurate result of artificial radiation levels.

The RadEye SPRD offers the next generation of NBR. The added fidelity of the new multi-channel NBR algorithm provides higher sensitivity to positively differentiate between natural and man-made radiation during search and find operation and better detection performance against masked isotopes. Once an alarm indicates the presence of significant gamma radiation the RadEye SPRD can automatically switch into radionuclide identification mode for immediate analysis. The editable trigger list allows users to select nuclides of concern from a list that includes all in the ANSI N42.48 standard. Users may also define custom subsets based on their areas of interest such as medical or industrial applications.



Our Lutetium test adaptor ensures quick and reliable performance verification



Law enforcement, border guards and special forces

The SPRD is ideal for primary inspection of its surroundings and provides basic secondary inspection, allowing users to quickly adjudicate the most common alarms such as distinguishing medical

patients from RDDs or crates of bananas from orphaned sources.

Law enforcement officers can take advantage of its small, wearable size and its affordability to provide a sensitive and significant network of sensors to locate radiation. Rapidly determine identity and type of radiation, providing key information faster to determine if HAZMAT or CBRN teams are needed.



Metal recyclers

Detect, locate and identify orphan radionuclides in your incoming scrap material.



Specifications and ordering information

Model	RadEye SPRD	RadEye SPRD-GN
Radiation detected	Gamma	Gamma Neutron
Detector	Csl	CLYC (Cs2LiYCl6)
Energy resolution (662 keV)	7.5%	7.5%
cps per μSv/h (662 keV)	100	110
ID-time @ 1μSv/h	< 5 min	< 5 min
Detection from	40 keV	50 keV
NBR (Natural Background Rejection)	good	good
PSD (Pulse Shape Discrimination)	no	Yes
Neutron Alarm Response ANSI N42.48-2008	no	Yes (< 2 s)
Neutron verification	via prompt gamma	thermal neutrons & fast neutrons
Estimated Battery Life	180 hrs	120 hrs
	First Preventers use for both interdiction and personal protection when radiation monitoring is not your primary function. Capable of distinguishing NORM sources such as granite or bananas from artificial sources such as medical, industrial and SNM immediately through advanced NBR. ID capability can fully adjudicate medical patients from threat nuclides. Respond to an emergency at a hospital, alarms that dose rates are high near the blood irradiation area	4 times more sensitive to neutrons compared to RIID devices Ideally suited as primary screeing tool at borders, on boats and remote outposts where larger detection systems are not available

We have an expansive library of radionuclide information. Our easy to read display allows you to quickly set thresholds and identify dose rates.



Our screen continuously shows you dose rate. As we are also monitoring count rate you will be alerted by an audible or vibrating alarm if your count rate suddenly increases suggesting you are facing an immediate threat.





Learn more about SPRD at www.thermoscientific.com/sprd

© 2016 Thermo Fisher Scientific Inc. All rights reserved. All other trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Not all products are available in all countries. Please consult your local sales representatives for details.

USA, Canada, Mexico, Central & SouthAmerica +1 (508) 553 1700 | +1 (800) 274 4212 US toll-free | customerservice.rmsi@thermofisher.com India +91-22-41578800 | info.rmsi.india@thermofisher.com

United Kingdom +44 (0) 1256 693960 | customerservice.eid.beenham@thermofisher.com

Europe, Africa Middle East & Countries Not Listed +49 (0) 9131 998-226 | customerservice.eid.erlangen@thermofisher.com

 $\textbf{China} + 86\ 10\ 8419\ 3588\ |\ info.eid.china@thermofisher.com$

 $\textbf{Singapore} \ \ \textbf{+}65\,6478\,9728 \ | \ \ info.rmsi.singapore@thermofisher.com$

